

FEI Jumping World Challenge 2024

Category A-B-C

Competition 3

Round 1




Table: A
FEI Art. 273.3.3.2

Height
A: 120-130
B: 110-120
C: 100-110


Length
460M

Speed
A: 350m/m
B: 325m/m
C: 325m/m

Time allowed
A: 79 sec
B: 85 sec
C: 85 sec

Time limit
A: 158 sec
B: 170 sec
C: 170 sec

Obstacles :11
Efforts:14
Cat B&C: 13

Course Designer
Kate Launder (RSA) 
FEI Level III

FEI Jumping World Challenge 2024

Category A-B-C

Competition 3

Round 1



NO.	FENCE TYPE	MATERIAL	CAT A	CAT B	CAT C
			Height m/ Spread m	Height m/ Spread m	Height m/ Spread m
1		3 poles - 1 plank	125	115	105
2		5 poles	125/125	115/115	105/105
3		4 poles	125	115	105
4		3 poles - 1 plank	130/130	120/120	110/110
5a		4 poles - 1 plank	125/125	115/115	105/105
5b		3 poles - 1 plank	130	120	110
5c		3 poles (Cat A Only)	130		
6		5 poles	130/125	120/115	110/105
7		3 poles - filler	130	120	110
8		5 poles	70-100-130/140	60-90-120/130	50-80-110/120
9		Liverpool with 3 poles (Cat A & B Only)	130	120	110
10a		3 poles - 1 plank	130	120	110
10b		4 poles	125/130	115/120	105/110
11		2 poles - 1 plank	130	120	110

FEI Jumping World Challenge 2024

Category A-B-C

Competition 3

Round 2





Table: A
FEI Art. 273.3.3.2
Height
A: 120-130
B: 110-120
C: 100-110
Length
410M
Speed
A: 350m/m
B: 325m/m
C: 325m/m
Time allowed
A: 71 sec
B: 76 sec
C: 76 sec
Time limit
A: 142 sec
B: 152 sec
C: 152 sec
Obstacles :9
Efforts:10

Course Designer
 Kate Launder (RSA) 
 FEI Level III

FEI Jumping World Challenge 2024

Category A-B-C

Competition 3

Round 2



NO.	FENCE TYPE	MATERIAL	CAT A	CAT B	CAT C
			Height m/ Spread m	Height m/ Spread m	Height m/ Spread m
1		5 poles	120/125/125	110/115/115	100/105/105
2		3 poles - filler	125	115	105
3		5 poles	130/130	120/120	110/110
4		Liverpool with 3 poles (Cat A & B Only)	130	120	110
5		3 poles - 1 plank	130/130	120/120	110/110
6a		4 poles - 1 plank	125/125	115/115	105/105
6b		3 poles - 1 plank	130	120	110
7		5 poles	130/110	120/100	110/90
8		3 poles - 1 plank	130	120	110
9		4 poles	130/135	120/125	110/115